CLAIMS

What is claimed is:

- 1. A self-sealing material comprising a hydrogel adhered to pore walls of a 5 porous substrate.
 - 2. The self-sealing material of claim 1 wherein the hydrogel is a polymer selected from the group consisting of hydrophilic polyurethane, hydrophilic polyurea, and hydrophilic polyureaurethane.

10

- 3. The self-sealing material of claim 2 wherein the hydrogel is hydrophilic polyurethane.
- 4. The self-sealing material of claim 3 wherein the hydrogel is hydrophilic polyurethane made from the reaction of a polyol and a diisocyanate in a molar ratio of from about 80:100 to about 20:100.
- 5. The self-sealing material of claim 4 wherein the hydrogel is hydrophilic polyurethane made from the reaction of a polyol and a diisocyanate in a molar ratio of from about 70:100 to about 40:100
 - 6. The self-sealing material of claim 5 wherein the hydrogel is hydrophilic polyurethane made from the reaction of a polyol and a diisocyanate in a molar ratio of from about 65:100 to about 50:100.

25

- 7. The self-sealing material of claim 1 wherein the porous substrate is made of a material selected from the group consisting of: metals, metal oxides, and alloys; ceramics; inorganic and organic materials; and mixtures thereof.
- 30 8. The self-sealing material of claim 7 wherein the porous substrate is made of an organic or organometallic polymer.
- The self-sealing material of claim 8 wherein the porous substrate is made of an organic polymer selected from the group consisting of: acrylic polymers; polyolefins;
 polyesters; polyamides; poly(ether sulfone); polytetrafluoroethylene; polyvinyl chloride; polycarbonates; and polyurethanes.

- 10. The self-sealing material of claim 9 wherein the porous substrate is made of a polyolefin.
- 11. The self-sealing material of claim 1 wherein the porous substrate is made of a single-component material, a multi-component material, or a woven or non-woven fibrous materials.
- 12. A process for making a self-sealing material which comprises forming a mixture comprising a hydrogel material and a substrate material and heating the mixture to the sintering temperature of the substrate material to form a porous substrate, wherein the sintering temperature is greater than the melting point of the hydrogel material.
- 13. The process of claim 12 wherein the hydrogel material is selected from the group consisting of hydrophilic polyurethane, hydrophilic polyurea, and hydrophilic
 polyureaurethane.
 - 14. The process of claim 13 wherein the hydrogel material is hydrophilic polyurethane.
- 20 15. The process of claim 12 wherein the porous substrate material is a polymer selected from the group consisting of: acrylic polymers; polyolefins; polyesters; polyamides; poly(ether sulfone); polytetrafluoroethylene; polyvinyl chloride; polycarbonates; and polyurethanes.
- 25 16. The process of claim 15 wherein the porous substrate material is a polyolefin.
 - 17. A product of the process of claim 12.
- 30 18. A process for making a self-sealing material which comprises immersing at least part of a porous substrate in a solution comprising a non-aqueous solvent and a hydrogel material.
- 19. The process of claim 18 wherein the non-aqueous solvent is selected from 35 the group consisting of ethers and alcohols.
 - 20. The process of claim 19 wherein the non-aqueous solvent is ethanol or methanol.

- 21. The process of claim 18 wherein the hydrogel material is selected from the group consisting of hydrophilic polyurethane, hydrophilic polyurea, and hydrophilic polyurethane.
- 22. The process of claim 21 wherein the hydrogel material is hydrophilic polyurethane.
 - 23. A product of the process of claim 18.

5

10

15

- 24. A process for making a self-sealing material which comprises immersing at least a part of a porous substrate in a solution comprising at least one reactant under conditions suitable for the formation of a hydrogel material within pores of the porous substrate.
 - 25. The process of claim 24 wherein the at least one reactant is a prepolymer formed by reacting a polyol and a diisocyanate.
- 26. The process of claim 25 wherein the at least one reactant further comprises at 20 least one of a catalyst and a chain extender.
 - 27. A product of the process of claim 24.
- 28. A process for making a self-sealing material which comprises coating fibers25 of a support material with a hydrogel and assembling the coated fibers in such a way as to form a porous substrate.
- 29. A pipette tip which comprises: a hollow tube open at opposite first and second ends; a center member disposed between said opposite first and second ends; and a means for attaching the first end of the hollow tube to a suction device, wherein said center member comprises at least one pore or channel having an inner wall coated partially or completely with a hydrogel.
- 30. A pipette tip which comprises: a hollow tube open at opposite first and second ends; a self-sealing plug member disposed between said opposite first and second ends; and a means for attaching the first end of the hollow tube to a suction device, wherein said self-sealing plug member comprises a hydrogel adhered to pore walls of a porous substrate.

- 31. The pipette tip of claim 29 or 30 wherein the hydrogel is made of hydrophilic polyurethane.32. The pipette tip of claim 30 wherein the porous substrate is made of a
 - 33. A pipette comprising the pipette tip of claim 29 or 30.

5

20

25

polyolefin.

- 10 34. A container for holding a liquid which comprises: an inner surface; an outer surface; and a self-sealing vent comprised of a hydrogel adhered to pore walls of a porous substrate, wherein gas or non-aqueous liquid can pass from the inner surface to the outer surface through the vent.
- 15 35. The container of claim 34 wherein the hydrogel is made of hydrophilic polyurethane.
 - 36. The container of claim 34 wherein the porous substrate is made of a polyolefin.
 - 37. An intravenous liquid delivery system which comprises: a container; a tube; a needle; and a self-sealing vent operatively attached to one another such that liquid can pass from the container and thru the tube and needle, wherein the self-sealing vent is comprised of a hydrogel adhered to pore walls of a porous substrate.
 - 38. The intravenous liquid delivery system of claim 37 wherein the hydrogel is made of hydrophilic polyurethane.
- 39. The intravenous liquid delivery system of claim 37 wherein the porous 30 substrate is made of a polyolefin.
- 40. A cap for facilitating purging of gas from a syringe containing liquid and gas which comprises: a tubular housing open at opposite first and second ends; a self-sealing plug member disposed between said opposite first and second ends and comprised of a
 35 hydrogel adhered to pore walls of a porous substrate; and a means for attaching the first end of the hollow tube to a syringe.

41. The cap of claim 40 wherein the hydrogel is made of hydrophilic polyurethane.

5

42. The cap of claim 40 wherein the porous substrate is made of a polyolefin.